


HPE Aruba Networking 7200 series mobility controllers

HPE 
GreenLake



HPE Aruba Networking 7205 series mobility controller

Table 1. Select the appropriate 7205 chassis

Part number	Description
JW735A	HPE Aruba Networking 7205 (RW) 2-port 10GBASE-X (SFP+) Controller
JW736A	HPE Aruba Networking 7205 (US) 2-port 10GBASE-X (SFP+) Controller
JW738A	HPE Aruba Networking 7205 (IL) 2-port 10GBASE-X (SFP+) Controller
JW737A	HPE Aruba Networking 7205 (JP) 2-port 10GBASE-X (SFP+) Controller
JY852A	HPE Aruba Networking 7205 (EG) 2x 10GBASE-X SFP+ Controller
JW739A	HPE Aruba Networking 7205 (RW) FIPS/TAA-compliant 2-port 10GBASE-X (SFP+) Controller
JW740A	HPE Aruba Networking 7205 (US) FIPS/TAA-compliant 2-port 10GBASE-X (SFP+) Controller
JW742A	HPE Aruba Networking 7205 (IL) FIPS/TAA-compliant 2-port 10GBASE-X (SFP+) Controller
JW741A	HPE Aruba Networking 7205 (JP) FIPS/TAA-compliant 2-port 10GBASE-X (SFP+) Controller

Table 2. Select AC power cord for main power supply for AC powered units

Part number	Description
JW113A	PC-AC-ARG Argentina 220V AC 10A 2-meter AC Power Cord
JW114A	PC-AC-AUS Australian AC Power Cord
JW115A	PC-AC-BR Brazil AC Power Cord
JW116A	PC-AC-CHN China AC Power Cord
JW117A	PC-AC-DEN Denmark 220V AC 10A 2-meter AC Power Cord
JW118A	PC-AC-EC Continental European/Schuko AC Power Cord
JW119A	PC-AC-IN India AC Power Cord
JW120A	PC-AC-IL Israel 250V AC 10A 2-meter AC Power Cord
JW121A	PC-AC-IT Italian AC Power Cord
JW122A	PC-AC-JP Japanese AC Power Cord
JW123A	PC-AC-KOR Korea AC Power Cord
JW124A	PC-AC-NA North America AC Power Cord
JW125A	PC-AC-SWI Switzerland 220V AC 10A 2-meter AC Power Cord
S0P44A	PC-AC-TH AC Power Cord (Thailand) 250V/10A 1.8 m C13 to TIS 166-2549
JW126A	PC-AC-TW AC Power Cord (Taiwan) 125V/7A 1.8 m C13 to CNS 10917
JW127A	PC-AC-UK UK AC Power Cord
JW128A	PC-AC-ZA South Africa 250V AC 10A 2-meter AC Power Cord



HPE Aruba Networking 7210 series mobility controller

Table 1. Select the appropriate 7210 chassis

Part number	Description
JW743A	HPE Aruba Networking 7210 (RW) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW744A	HPE Aruba Networking 7210 (US) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW747A	HPE Aruba Networking 7210 (IL) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW749A	HPE Aruba Networking 7210 (JP) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JY853A	HPE Aruba Networking 7210 (EG) 4x 10GBase-x SFP/SFP+ Controller
JW745A	HPE Aruba Networking 7210 (RW) FIPS/TAA 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW746A	HPE Aruba Networking 7210 (US) FIPS/TAA 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW748A	HPE Aruba Networking 7210 (IL) FIPS/TAA 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW750A	HPE Aruba Networking 7210 (JP) FIPS/TAA 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW645A	HPE Aruba Networking 7210DC (RW) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) 350W DC Pwr Cntrlr
JW647A	HPE Aruba Networking 7210DC (IL) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) 350W DC Pwr Cntrlr
JW648A	HPE Aruba Networking 7210DC (JP) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) 350W DC Pwr Cntrlr
JW646A	HPE Aruba Networking 7210DC (US) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) 350W DC Pwr Cntrlr
R6M40A	HPE Aruba Networking 7210 (RU) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000 BASE-T or SFP) Gateway

Table 2. Select AC power cord for main power supply for AC powered units

Part number	Description
JW113A	PC-AC-ARG Argentina 220V AC 10A 2-meter AC Power Cord
JW114A	PC-AC-AUS Australian AC Power Cord
JW115A	PC-AC-BR Brazil AC Power Cord
JW116A	PC-AC-CHN China AC Power Cord
JW117A	PC-AC-DEN Denmark 220V AC 10A 2-meter AC Power Cord
JW118A	PC-AC-EC Continental European/Schuko AC Power Cord
JW119A	PC-AC-IN India AC Power Cord
JW120A	PC-AC-IL Israel 250V AC 10A 2-meter AC Power Cord
JW121A	PC-AC-IT Italian AC Power Cord
JW122A	PC-AC-JP Japanese AC Power Cord
JW123A	PC-AC-KOR Korea AC Power Cord
JW124A	PC-AC-NA North America AC Power Cord



Table 2. Select AC power cord for main power supply for AC powered units

Part number	Description
JW125A	PC-AC-SWI Switzerland 220V AC 10A 2-meter AC Power Cord
SOP44A	PC-AC-TH AC Power Cord (Thailand) 250V/10A 1.8m C13 to TIS 166-2549
JW126A	PC-AC-TW AC Power Cord (Taiwan) 125V/7A 1.8m C13 to CNS 10917
JW127A	PC-AC-UK UK AC Power Cord
JW128A	PC-AC-ZA South Africa 250V AC 10A 2-meter AC Power Cord

Table 3. Add redundant power supply unit (optional)

Part number	Description
JW657A	HPE Aruba Networking PSU-350-AC 7200 Series S3500-24T S3500-48T and S3500-24F 350W AC Power Supply
JW658A	HPE Aruba Networking PSU-350-DC 7200 Series Mobility Controllers 350W DC (-48V DC) Power Supply

Must match chassis type (AC or DC power).

Table 4. Select AC power cord for redundant power supply for AC powered units

Part number	Description
JW113A	PC-AC-ARG Argentina 220V AC 10A 2-meter AC Power Cord
JW114A	PC-AC-AUS Australian AC Power Cord
JW115A	PC-AC-BR Brazil AC Power Cord
JW116A	PC-AC-CHN China AC Power Cord
JW117A	PC-AC-DEN Denmark 220V AC 10A 2-meter AC Power Cord
JW118A	PC-AC-EC Continental European/Schuko AC Power Cord
JW119A	PC-AC-IN India AC Power Cord
JW120A	PC-AC-IL Israel 250V AC 10A 2-meter AC Power Cord
JW121A	PC-AC-IT Italian AC Power Cord
JW122A	PC-AC-JP Japanese AC Power Cord
JW123A	PC-AC-KOR Korea AC Power Cord
JW124A	PC-AC-NA North America AC Power Cord
JW125A	PC-AC-SWI Switzerland 220V AC 10A 2-meter AC Power Cord
SOP44A	PC-AC-TH AC Power Cord (Thailand) 250V/10A 1.8 m C13 to TIS 166-2549
JW126A	PC-AC-TW AC Power Cord (Taiwan) 125V/7A 1.8 m C13 to CNS 10917
JW127A	PC-AC-UK UK AC Power Cord
JW128A	PC-AC-ZA South Africa 250V AC 10A 2-meter AC Power Cord



Table 5. Spares (optional)

Part number	Description
JW107A	HPE Aruba Networking SPR-RK-MNT 7200/S3500/S1500-24/48/S2500 Spare Front or Mid Mount
JW108A	HPE Aruba Networking SPR-4RK-MNT 7200 Series/S3500 Spare Four-Post 19" Rack-Mount Kit
JW109A	HPE Aruba Networking SPR-WL-MNT 7200 Series or S3500 Wall Mount Kit
JW110A	HPE Aruba Networking PSU-PWBLNK 7200 Series and S3500 Power Supply Spare Faceplate Blank
JW111A	HPE Aruba Networking HW-7200-FT 7200 Series Fan Tray
JW112A	HPE Aruba Networking SPR-ESBLNK 7200 Series Expansion Slot Blank Panel

HPE Aruba Networking 7220 series mobility controller

Table 1. Select the appropriate 7220 chassis

Part number	Description
JW751A	HPE Aruba Networking 7220 (RW) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW752A	HPE Aruba Networking 7220 (US) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW755A	HPE Aruba Networking 7220 (IL) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW757A	HPE Aruba Networking 7220 (JP) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW753A	HPE Aruba Networking 7220 (RW) FIPS/TAA 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW754A	HPE Aruba Networking 7220 (US) FIPS/TAA 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW756A	HPE Aruba Networking 7220 (IL) FIPS/TAA 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW758A	HPE Aruba Networking 7220 (JP) FIPS/TAA 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW649A	HPE Aruba Networking 7220DC (RW) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) 350W DC Power Controller
JW650A	HPE Aruba Networking 7220DC (US) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) 350W DC Power Controller
JW651A	HPE Aruba Networking 7220DC (IL) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) 350W DC Power Controller
JW652A	HPE Aruba Networking 7220DC (JP) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) 350W DC Power Controller



Table 2. Select AC power cord for main power supply for AC powered units

Part number	Description
JW113A	PC-AC-ARG Argentina 220V AC 10A 2-meter AC Power Cord
JW114A	PC-AC-AUS Australian AC Power Cord
JW115A	PC-AC-BR Brazil AC Power Cord
JW116A	PC-AC-CHN China AC Power Cord
JW117A	PC-AC-DEN Denmark 220V AC 10A 2-meter AC Power Cord
JW118A	PC-AC-EC Continental European/Schuko AC Power Cord
JW119A	PC-AC-IN India AC Power Cord
JW120A	PC-AC-IL Israel 250V AC 10A 2-meter AC Power Cord
JW121A	PC-AC-IT Italian AC Power Cord
JW122A	PC-AC-JP Japanese AC Power Cord
JW123A	PC-AC-KOR Korea AC Power Cord
JW124A	PC-AC-NA North America AC Power Cord
JW125A	PC-AC-SWI Switzerland 220V AC 10A 2-meter AC Power Cord
S0P44A	PC-AC-TH AC Power Cord (Thailand) 250V/10A 1.8m C13 to TIS 166-2549
JW126A	PC-AC-TW AC Power Cord (Taiwan) 125V/7A 1.8m C13 to CNS 10917
JW127A	PC-AC-UK UK AC Power Cord
JW128A	PC-AC-ZA South Africa 250V AC 10A 2-meter AC Power Cord

Table 3. Add redundant power supply unit (optional)

Part number	Description
JW657A	HPE Aruba Networking PSU-350-AC 7200 Series S3500-24T S3500-48T and S3500-24F 350W AC Power Supply
JW658A	HPE Aruba Networking PSU-350-DC 7200 Series Mobility Controllers 350W DC (-48V DC) Power Supply

Must match chassis type (AC or DC power).



Table 4. Select AC power cord for redundant power supply for AC powered units

Part number	Description
JW113A	PC-AC-ARG Argentina 220V AC 10A 2-meter AC Power Cord
JW114A	PC-AC-AUS Australian AC Power Cord
JW115A	PC-AC-BR Brazil AC Power Cord
JW116A	PC-AC-CHN China AC Power Cord
JW117A	PC-AC-DEN Denmark 220V AC 10A 2-meter AC Power Cord
JW118A	PC-AC-EC Continental European/Schuko AC Power Cord
JW119A	PC-AC-IN India AC Power Cord
JW120A	PC-AC-IL Israel 250V AC 10A 2-meter AC Power Cord
JW121A	PC-AC-IT Italian AC Power Cord
JW122A	PC-AC-JP Japanese AC Power Cord
JW123A	PC-AC-KOR Korea AC Power Cord
JW124A	PC-AC-NA North America AC Power Cord
JW125A	PC-AC-SWI Switzerland 220V AC 10A 2-meter AC Power Cord
JW127A	PC-AC-UK UK AC Power Cord
JW128A	PC-AC-ZA South Africa 250V AC 10A 2-meter AC Power Cord

Table 5. Spares (optional)

Part number	Description
JW107A	HPE Aruba Networking SPR-RK-MNT 7200/S3500/S1500-24/48/S2500 Spare Front or Mid Mount
JW108A	HPE Aruba Networking SPR-4RK-MNT 7200 Series/S3500 Spare Four-Post 19" Rack-Mount Kit
JW109A	HPE Aruba Networking SPR-WL-MNT 7200 Series or S3500 Wall Mount Kit
JW110A	HPE Aruba Networking PSU-PWBLNK 7200 Series and S3500 Power Supply Spare Faceplate Blank
JW111A	HPE Aruba Networking HW-7200-FT 7200 Series Fan Tray
JW112A	HPE Aruba Networking SPR-ESBLNK 7200 Series Expansion Slot Blank Panel



HPE Aruba Networking 7240XM mobility controller

Table 1. Select the appropriate 7240XM chassis

Part number	Description
JW783A	HPE Aruba Networking 7240XM (RW) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW784A	HPE Aruba Networking 7240XM (US) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW786A	HPE Aruba Networking 7240XM (IL) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JW785A	HPE Aruba Networking 7240XM (JP) 4p 10GBase-X (SFP+) 2p Dual Pers (10/100/1000BASE-T or SFP) Controller
JY854A	HPE Aruba Networking 7240XM (EG) 4x 10GBase-x SFP/SFP+ Controller
JW829A	HPE Aruba Networking 7240XM (RW) FIPS/TAA 16GB DRAM 4p 10GBase-X (SFP+) 2p Dual (10/100/1000BASE-T or SFP) Controller
JW830A	HPE Aruba Networking 7240XM (US) FIPS/TAA 16GB DRAM 4p 10GBase-X (SFP+) 2p Dual (10/100/1000BASE-T or SFP) Controller
JW831A	HPE Aruba Networking 7240XM (JP) FIPS/TAA 16GB DRAM 4p 10GBase-X (SFP+) 2p Dual (10/100/1000BASE-T or SFP) Controller
JW832A	HPE Aruba Networking 7240XM (IL) FIPS/TAA 16GB DRAM 4p 10GBase-X (SFP+) 2p Dual (10/100/1000BASE-T or SFP) Controller
JW674A	HPE Aruba Networking 7240XMDC (RW) 16GB DRAM 4p 10GBase-X/SFP+ 2p Dual Pers (10/100/1000 or SFP) DC Power Controller
JW675A	HPE Aruba Networking 7240XMDC (US) 16GB DRAM 4p 10GBase-X/SFP+ 2p Dual Pers (10/100/1000 or SFP) DC Power Controller
JW677A	HPE Aruba Networking 7240XMDC (IL) 16GB DRAM 4p 10GBase-X/SFP+ 2p Dual Pers (10/100/1000 or SFP) DC Power Controller
JW676A	HPE Aruba Networking 7240XMDC (JP) 16GB DRAM 4p 10GBase-X/SFP+ 2p Dual Pers (10/100/1000 or SFP) DC Power Controller
R8W28A	HPE Aruba Networking 7240XMDC (EG) 16GB DRAM 4p 10GBase-X /SFP+ 2p Dual Pers (10/100/1000 or SFP) DC Power Controller

Table 2. Add redundant power supply unit (optional)

Part number	Description
JW657A	HPE Aruba Networking PSU-350-AC 7200 Series S3500-24T S3500-48T and S3500-24F 350W AC Power Supply
JW658A	HPE Aruba Networking PSU-350-DC 7200 Series Mobility Controllers 350W DC (-48V DC) Power Supply

Table 3. Select AC power cord for main power supply for AC powered units

Part number	Description
JW113A	PC-AC-ARG Argentina 220V AC 10A 2-meter AC Power Cord
JW114A	PC-AC-AUS Australian AC Power Cord
JW115A	PC-AC-BR Brazil AC Power Cord
JW116A	PC-AC-CHN China AC Power Cord
JW117A	PC-AC-DEN Denmark 220V AC 10A 2-meter AC Power Cord
JW118A	PC-AC-EC Continental European/Schuko AC Power Cord
JW119A	PC-AC-IN India AC Power Cord
JW120A	PC-AC-IL Israel 250V AC 10A 2-meter AC Power Cord



Table 3. Select AC power cord for main power supply for AC powered units

Part number	Description
JW121A	PC-AC-IT Italian AC Power Cord
JW122A	PC-AC-JP Japanese AC Power Cord
JW123A	PC-AC-KOR Korea AC Power Cord
JW124A	PC-AC-NA North America AC Power Cord
JW125A	PC-AC-SWI Switzerland 220V AC 10A 2-meter AC Power Cord
SOP44A	PC-AC-TH AC Power Cord (Thailand) 250V/10A 1.8m C13 to TIS 166-2549
JW126A	PC-AC-TW AC Power Cord (Taiwan) 125V/7A 1.8m C13 to CNS 10917
JW127A	PC-AC-UK UK AC Power Cord
JW128A	PC-AC-ZA South Africa 250V AC 10A 2-meter AC Power Cord

Table 4. Spares (optional)

Part number	Description
JW107A	HPE Aruba Networking SPR-RK-MNT 7200/S3500/S1500-24/48/S2500 Spare Front or Mid Mount
JW108A	HPE Aruba Networking SPR-4RK-MNT 7200 Series/S3500 Spare Four-Post 19" Rack-Mount Kit
JW109A	HPE Aruba Networking SPR-WL-MNT 7200 Series or S3500 Wall Mount Kit
JW110A	HPE Aruba Networking PSU-PWBLNK 7200 Series and S3500 Power Supply Spare Faceplate Blank
JW111A	HPE Aruba Networking HW-7200-FT 7200 Series Fan Tray
JW112A	HPE Aruba Networking SPR-ESBLNK 7200 Series Expansion Slot Blank Panel



HPE Aruba Networking 7280 series mobility controller

Table 1. Select the appropriate 7280 chassis

Part number	Description
JX910A	HPE Aruba Networking 7280 (US) 2x40GbE and 8x10GBASE-X (SFP+) Controller
JX911A	HPE Aruba Networking 7280 (RW) 2x40GbE and 8x10GBASE-X (SFP+) Controller
JX912A	HPE Aruba Networking 7280 (JP) 2x40GbE and 8x10GBASE-X (SFP+) Controller
JX913A	HPE Aruba Networking 7280 (IL) 2x40GbE and 8x10GBASE-X (SFP+) Controller
JX914A	HPE Aruba Networking 7280 (US) FIPS/TAA-compliant 2x40GbE and 8x10GBASE-X (SFP+) Controller
JX915A	HPE Aruba Networking 7280 (RW) FIPS/TAA-compliant 2x40GbE and 8x10GBASE-X (SFP+) Controller
JX916A	HPE Aruba Networking 7280 (JP) FIPS/TAA-compliant 2x40GbE and 8x10GBASE-X (SFP+) Controller
JX917A	HPE Aruba Networking 7280 (IL) FIPS/TAA-compliant 2x40GbE and 8x10GBASE-X (SFP+) Controller
JZ077A	HPE Aruba Networking 7280 (EG) 2x40GbE and 8x10GBASE-X (SFP+) Controller
JZ078A	HPE Aruba Networking 7280 (EG) FIPS/TAA-compliant 2x40GbE and 8x10GBASE-X (SFP+) Controller

Table 2. Add redundant power supply unit (optional)

Part number	Description
JZ012A	PSU-550-AC 550W AC Power Supply

Table 3. Select AC power cord for redundant power supply for AC powered units

Part number	Description
JW113A	PC-AC-ARG Argentina 220V AC 10A 2-meter AC Power Cord
JW114A	PC-AC-AUS Australian AC Power Cord
JW115A	PC-AC-BR Brazil AC Power Cord
JW116A	PC-AC-CHN China AC Power Cord
JW117A	PC-AC-DEN Denmark 220V AC 10A 2-meter AC Power Cord
JW118A	PC-AC-EC Continental European/Schuko AC Power Cord
JW119A	PC-AC-IN India AC Power Cord
JW120A	PC-AC-IL Israel 250V AC 10A 2-meter AC Power Cord
JW121A	PC-AC-IT Italian AC Power Cord
JW122A	PC-AC-JP Japanese AC Power Cord
JW123A	PC-AC-KOR Korea AC Power Cord
JW124A	PC-AC-NA North America AC Power Cord
JW125A	PC-AC-SWI Switzerland 220V AC 10A 2-meter AC Power Cord



Table 3. Select AC power cord for redundant power supply for AC powered units

Part number	Description
S0P44A	PC-AC-TH AC Power Cord (Thailand) 250V/10A 1.8m C13 to TIS 166-2549
JW126A	PC-AC-TW AC Power Cord (Taiwan) 125V/7A 1.8m C13 to CNS 10917
JW127A	PC-AC-UK UK AC Power Cord
JW128A	PC-AC-ZA South Africa 250V AC 10A 2-meter AC Power Cord

Table 4. Spares (optional)

Part number	Description
JW083A	HPE Aruba Networking SPR-WL2-MNT S2500 Wall/Rack Mount
JZ013A	HPE Aruba Networking HW-7280-FT 7280 Series Fan Tray

Mobility controller deployment

The HPE Aruba Networking 7200 Series can be deployed using HPE Aruba Networking Mobility Controller software licenses in a campus or branch access layer deployment. In this mode, the controllers cannot be simultaneously used for SD-WAN. In Mobility Controller mode, the 7200 Series can also participate in HPE Aruba Networking's Dynamic Segmentation framework, with, at minimum, an access point (AP) license and a Policy Enforcement Firewall (PEF) license for each HPE Aruba Networking access point and switch in the network.

For more information on Mobility Controller licenses, visit: [HPE Aruba Networking Operating System Data Sheet](#)

HPE Aruba Networking SD-WAN deployment

Refer to the [SD-WAN use cases guide](#) for more information on how the 7200 Series can be used. Each 7200 Series requires an HPE Aruba Networking Central software subscription license to enable SD-WAN software features and the use of cloud-based management.

The SD-WAN license also enables the use of the entire bandwidth capacity stated in the data sheet for each gateway.

- In high availability deployments, each primary and backup appliances need to have a separate subscription license applied.

Each SD-WAN subscription includes software support and TAC/phone support. For SD-WAN hardware replacement support, order hardware-only support SKUs through your HPE Aruba Networking value-added reseller (VAR).

For more information on SD-WAN and SD-WAN licensing, visit:

[HPE Aruba Networking SD-WAN Data Sheet](#)

[HPE Aruba Networking Central SaaS Subscription Ordering Guide](#)



HPE Aruba Networking 7200 series mobility controller transceiver support

Part number	Description	7205	7210	7220	7240XM	7280
JW149A	SFP-EX 1000BASE-EX LC SFP XCVR	X	X	X	X	X
JW150A	SFP-ZX 1000BASE-ZX LC SFP XCVR	X	X	X	X	
J4859D	HPE Aruba Networking 1 G SFP LC LX 10 km SMF Transceiver	X ¹	X ¹	X ¹	X ¹	X ¹
J4858D	HPE Aruba Networking 1 G SFP LC SX 500 m OM2 MMF Transceiver	X ¹	X ¹	X ¹	X ¹	X ¹
J4860D	HPE Aruba Networking 1 G SFP LC LH 70 km SMF Transceiver	X ²	X ²	X ²	X ²	X ²
J8177D	HPE Aruba Networking 1G SFP RJ-45 T 100 m Cat5e Transceiver	X ¹	X ¹	X ¹	X ¹	X ¹
JW148A	SFP-10GE-ZR 10 G LC Cnctr SFP+ XCVR	X	X	X	X	X
J9150D	HPE Aruba Networking 10 G SFP+ LC SR 300 m OM3 MMF Transceiver	X ¹	X ¹	X ¹	X ¹	X ¹
J9151E	HPE Aruba Networking 10 G SFP+ LC LR 10 km SMF Transceiver	X ¹	X ¹	X ¹	X ¹	X ¹
J9152D	HPE Aruba Networking 10 G SFP+ LC LRM 220 m OM2 MMF Transceiver	X ¹	X ¹	X ¹	X ¹	X ¹
J9153D	HPE Aruba Networking 10 G SFP+ LC ER 40 km SMF Transceiver	X ¹	X ¹	X ¹	X ¹	X ¹
JL745A	HPE Aruba Networking 1 G SFP LC SX 500 m MMF TAA XCVR	X ³	X ³	X ³	X ³	X ³
JL746A	HPE Aruba Networking 1 G SFP LC LX 10 km SMF TAA XCVR	X ³	X ³	X ³	X ³	X ³
JL747A	HPE Aruba Networking 1 G SFP RJ45 T 100 m Cat5e TAA XCVR	X ³	X ³	X ³	X ³	X ³
JL748A	HPE Aruba Networking 10 G SFP+ LC SR 300 m MMF TAA XCVR	X ³	X ³	X ³	X ³	X ³
JL749A	HPE Aruba Networking 10 G SFP+ LC LR 10 km SMF TAA XCVR	X ³	X ³	X ³	X ³	X ³
J9281D	HPE Aruba Networking 10 G SFP+ to SFP+ 1 m DAC Cable	X ¹	X ¹	X ¹	X ¹	X ¹
J9283D	HPE Aruba Networking 10 G SFP+ to SFP+ 3 m DAC Cable	X ¹	X ¹	X ¹	X ¹	X ¹
J9285D	HPE Aruba Networking 10 G SFP+ to SFP+ 7 m DAC Cable	X ¹	X ¹	X ¹	X ¹	X ¹
JH231A	HPE X142 40 G QSFP+ MPO SR4 Transceiver					X ¹
JH232A	HPE X142 40 G QSFP+ LC LR4 SM Transceiver					X ¹
JH233A	HPE X142 40 G QSFP+ MPO eSR4 300M XCVR					X ¹
JH234A	HPE X242 40 G QSFP+ to QSFP+ 1 m DAC Cable					X ¹
JH235A	HPE X242 40 G QSFP+ to QSFP+ 3 m DAC Cable					X ¹
JH236A	HPE X242 40 G QSFP+ to QSFP+ 5 m DAC Cable					X ¹
JH678A	HPE X140 40 G QSFP+ LC BiDi 150 m MM C-TRX					X ¹
JH700A	HPE X240 QSFP+ 4x10 G SFP+DAC Reman C-Cbl					X ¹

X: Supported transceiver

¹Default minimum HPE Aruba Networking Operating System software version is 6.5.3.0 and 8.1.0.0

²Minimum HPE Aruba Networking Operating System software version is 6.5.4.7 and 8.4.0.0

³Minimum HPE Aruba Networking Operating System software version is 8.1.0.0



Ordering guide

Part number	Description	7205	7210	7220	7240XM	7280
JG329A	HPE X240 QSFP+ 4x10 G SFP+ 1 m DAC Cable					X ¹
JG331A	HPE X240 QSFP+ 4x10 G SFP+ 5 m DAC Cable					X ¹
JH231A	HPE X142 40 G QSFP+ MPO SR4 Transceiver					X ¹
JH232A	HPE X142 40 G QSFP+ LC LR4 SM Transceiver					X ¹
JH233A	HPE X142 40 G QSFP+ MPO eSR4 300 M XCVR					X ¹
JH234A	HPE X242 40 G QSFP+ to QSFP+ 1 m DAC Cable					X ¹
JH235A	HPE X242 40 G QSFP+ to QSFP+ 3 m DAC Cable					X ¹
JH236A	HPE X242 40 G QSFP+ to QSFP+ 5 m DAC Cable					X ¹
JL308A	HPE Aruba Networking 40 G QSFP+ LC BiDi 150 m MMF XCVR					X ¹

X: Supported transceiver

¹Default minimum HPE ArubaNetworking Operating System software version is 6.5.3.0 and 8.1.0.0

²Minimum HPE Aruba Networking Operating System software version is 6.5.4.7 and 8.4.0.0

³Minimum HPE Aruba Networking Operating System software version is 8.1.0.0

**Make the right purchase decision.
Contact our presales specialists.**



Contact us

Visit [ArubaNetworks.com](https://www.arubanetworks.com)

